Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"361"/\$.ccls. and (impedance near2 device) and (detect with fault with condition) and (output\$4 with warn\$3 with fault)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 14:17
S1	0	10/787251	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 14:16
L1	2	(impedance near2 device) and (detect with fault with condition) and (output\$4 with warn\$3 with fault)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 14:16
S59	1	("20030222639" "4816745" "4845 429" "5351010" "5469071").PN. and (impedance near2 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:36
S46	1	("20030222639" "4816745" "4845 429" "5351010" "5469071").PN. and (impedance near2 device) and (series near2 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:36
S58	1	S53 and (measur\$6 with voltage with difference with across)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:03
S54	1	S53 and (voltage with difference with across)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:03
S57	0	S56 and (sequentially with measure\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:02

				Γ.		
S56	1	S55 and output\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:02
S55	1	S54 and (process\$3 with measur\$6 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:02
S53	1	S52 and (measur\$6 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:02
S52	1	("20030222639" "4816745" "4845 429" "5351010" "5469071").PN. and (impedance near2 device) and (series near2 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:02
S51 ·	1	S50 and output\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:02
S50	1	S49 and (process\$3 with measur\$6 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 08:41
S49	1	S48 and (voltage with difference with across)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 08:39
S48	1	S46 and (measur\$6 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 08:38

S47	0	S46 and (measur\$6 with channel)	US-PGPUB; USPAT; USOCR;	OR	ON	2006/08/10 08:37
			EPO; JPO; DERWENT; IBM_TDB			
S43	10	("20030222639" "4816745" "4845 429" "5351010" "5469071").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2006/08/10 08:31
S45	1	((program\$6 software) with identif\$4 with fault with device) and (impedance near2 device) and (series near2 device) and ((apply\$3 applied application) with signal with device) and (measur\$6 with voltage) and (switch with measur\$6 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 08:16
S44	1	10/787251	US-PGPUB	OR	ON	2006/08/10 08:10
S42	0	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls.) and ((voltage with across) and (divisional with manner) and (without with calulat\$3 with impedance) and (predefin\$3 with inequality with relationship)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:49
539	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls.) and ((test with load with component) and (voltage with across with series with test with load with component)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:47
S41	1	((((first with voltage) same (first with side) same (load with component)) and ((second with voltage) same (second with side) same (load with component))) (voltage with difference with across with load with component)) and (impedance with device) and (series with connect\$3 with load with component) and ((switch with arrangement) same (measur\$6 with channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:45

S26	23	((((first with voltage) same (fist with side) same (load with component)) and ((second with voltage) same (second with side) same (load with component))) (voltage with difference with across with load with component)) and (impedance with device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:45
S40	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls.) and ((test with load with component) and (voltage with across with series with test with load with component)).clm.	US-PGPUB	OR	ON	2006/03/28 15:41
S38	0	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls.) and ((test with load with component) and (voltage with across with series with test with load with component) and (stor\$3 with value with later with use)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:40
S37	0	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls.) and ((test with load with component) and (voltage with across with series with component) and (value with impedance) and (stor\$3 with value with later with use)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:40
S36	0	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls.) and ((test with load with component) and (voltage with across with series with component) and (value with impedance) and ((stor\$3 with value with later with use) (retriev\$3 with value))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:37

	1			·		
S34	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls.) and ((((first with voltage) same (first with side) same (load with component)) and ((second with voltage) same (second with side) same (load with component))) (voltage with difference with across with load with component)) and (impedance with device) and (measur\$6 with channel) and (series with connect\$3 with load with component)	US-PGPUB	OR	ON	2006/03/28 15:36
S33	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls.) and (((((first with voltage) same (first with side) same (load with component)) and ((second with voltage) same (second with side) same (load with component))) (voltage with difference with across with load with component)) and (impedance with device) and (measur\$6 with channel) and (series with connect\$3 with load with component)).clm.	US-PGPUB	OR	ON	2006/03/28 15:23
S32	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls.) and (((((first with voltage) same (first with side) same (load with component)) and ((second with voltage) same (second with side) same (load with component))) (voltage with difference with across with load with component)) and (impedance with device) and (measur\$6 with channel) and (series with connect\$3 with load with component)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:22



S31	1	("702"/\$.ccls. "324"/\$.ccls.	US-PGPUB	OR	ON	2006/03/28 15:20
		"340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls.) and (((((first with voltage) same (fist with side) same (load with component)) and ((second with voltage) same (second with side) same (load with component))) (voltage with difference with across with load with component)) and (impedance with device) and ((switch with arrangement) same				
		((switch with arrangement) same (measur\$6 with channel)) and (series with connect\$3 with load with component)).clm.				
S30	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls.) and (((((first with voltage) same (fist with side) same (load with component)) and ((second with voltage) same (second with side) same (load with component))) (voltage with difference with across with load with component)) and (impedance with device) and ((switch with arrangement) same (measur\$6 with channel)) and (series with connect\$3 with load with component)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:19

8/15/06 2:17:59 PM C:\Documents and Settings\JLe\My Documents\EAST\Workspaces\10787251.wsp